

### LAMPIRAN 1

	Tahun	X1	X2	Y	Z
DVLA	2017	0,320	0,086	1,956	0,099
	2018	0,287	0,079	1,820	0,119
	2019	0,286	0,067	1,972	0,121
KAEF	2017	0,578	0,054	4,411	0,054
	2018	0,634	0,381	3,416	0,035
	2019	0,596	0,111	0,895	0,001
KLBF	2017	0,164	0,042	5,600	0,148
	2018	0,157	0,044	4,521	0,138
	2019	0,176	0,074	4,405	0,125
SIDO	2017	0,083	0,005	2,823	0,169
	2018	0,130	0,074	4,186	0,199
	2019	0,134	0,110	6,143	0,228
PYFA	2017	0,318	0,028	0,904	0,045
	2018	0,364	0,123	0,855	0,045
	2019	0,346	0,013	0,854	0,049
SDPC	2017	0,773	0,071	0,543	0,015
	2018	0,805	0,126	0,521	0,016
	2019	0,809	0,148	0,498	0,006
TSPC	2017	0,316	0,047	1,501	0,075
	2018	0,310	0,055	1,155	0,069
	2019	0,308	0,090	1,057	0,071

## LAMPIRAN 2

### Uji deskriptif

#### Descriptive Statistics

	N	Minimum	Maximum	Mean	Std. Deviation
X1	21	.083	.809	.37590	.230096
X2	21	-.013	.381	.10486	.095614
Y	21	.498	6.143	2.38267	1.816081
Z	21	.001	.228	.08700	.064386
Valid N (listwise)	21				

### Uji asumsi klasik

#### ➤ Uji normalitas ksv

Model

#### One-Sample Kolmogorov-Smirnov Test

		Unstandardized Residual
N		21
Normal Parameters <sup>a,b</sup>	Mean	.0000000
	Std. Deviation	.03403592
Most Extreme Differences	Absolute	.108
	Positive	.108
	Negative	-.069
Test Statistic		.108
Asymp. Sig. (2-tailed)		.200 <sup>c,d</sup>

a. Test distribution is Normal.

b. Calculated from data.

c. Lilliefors Significance Correction.

d. This is a lower bound of the true significance.

## Model 2

### One-Sample Kolmogorov-Smirnov Test

		Unstandardized Residual
N		21
Normal Parameters <sup>a,b</sup>	Mean	.0000000
	Std. Deviation	.99328608
Most Extreme Differences	Absolute	.172
	Positive	.172
	Negative	-.127
Test Statistic		.172
Asymp. Sig. (2-tailed)		.108 <sup>c</sup>

a. Test distribution is Normal.

b. Calculated from data.

c. Lilliefors Significance Correction.

## ➤ Uji multikolinearitas

### Model 1

Model	Coefficients <sup>a</sup>				t	Sig.	Collinearity Statistics	
	Unstandardized Coefficients		Standardized Coefficients				Tolerance	VIF
	B	Std. Error	Beta					

1	(Constant)	.171	.016		10.429	.000		
	X1	-.242	.036	-.865	-6.769	.000	.951	1.051
	X2	.064	.086	.095	.741	.468	.951	1.051

a. Dependent Variable: Z

## Model 2

### Coefficients<sup>a</sup>

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.	Collinearity Statistics	
		B	Std. Error	Beta			Tolerance	VIF
1	(Constant)	-1.105	1.309		-.844	.410		
	X1	1.444	2.021	.183	.714	.485	.268	3.727
	X2	5.982	2.622	.315	2.281	.036	.923	1.083
	Z	26.634	7.078	.944	3.763	.002	.279	3.579

a. Dependent Variable: Y

### ➤ Uji heterokedstas

#### Model 1

### Correlations

	X1	X2	Unstandardized Residual
X1			
X2			
Unstandardized Residual			

Spearman's rho	X1	Correlation Coefficient	1.000	.310	-.123
		Sig. (2-tailed)	.	.171	.594
		N	21	21	21
	X2	Correlation Coefficient	.310	1.000	.039
		Sig. (2-tailed)	.171	.	.867
		N	21	21	21
	Unstandardized Residual	Correlation Coefficient	-.123	.039	1.000
		Sig. (2-tailed)	.594	.867	.
		N	21	21	21

## Model 2

### Correlations

		X1	X2	Z	Unstandardized Residual	
Spearman's rho	X1	Correlation Coefficient	1.000	.310	-.949**	.071
		Sig. (2-tailed)	.	.171	.000	.758
		N	21	21	21	21
	X2	Correlation Coefficient	.310	1.000	-.257	-.072
		Sig. (2-tailed)	.171	.	.261	.756
		N	21	21	21	21
	Z	Correlation Coefficient	-.949**	-.257	1.000	-.033

	Sig. (2-tailed)	.000	.261	.	.887
	N	21	21	21	21
Unstandardized Residual	Correlation Coefficient	.071	-.072	-.033	1.000
	Sig. (2-tailed)	.758	.756	.887	.
	N	21	21	21	21

\*\* . Correlation is significant at the 0.01 level (2-tailed).

➤ Uji autokorelasi durbin Watson

Model 1

**Model Summary<sup>b</sup>**

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate	Durbin-Watson
1	.849 <sup>a</sup>	.721	.690	.035877	1.627

a. Predictors: (Constant), X2, X1

b. Dependent Variable: Z

Model 2

**Model Summary<sup>b</sup>**

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate	Durbin-Watson
1	.837 <sup>a</sup>	.701	.648	1.077370	2.004

a. Predictors: (Constant), Z, X2, X1

b. Dependent Variable: Y

Model 1

**ANOVA<sup>a</sup>**

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	.060	2	.030	23.207	.000 <sup>b</sup>
	Residual	.023	18	.001		
	Total	.083	20			

a. Dependent Variable: Z

b. Predictors: (Constant), X2, X1

**Model 2****ANOVA<sup>a</sup>**

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	46.231	3	15.410	13.276	.000 <sup>b</sup>
	Residual	19.732	17	1.161		
	Total	65.963	20			

a. Dependent Variable: Y

b. Predictors: (Constant), Z, X2, X1