

LAMPIRAN

LAMPIRAN

Logistic Regression

Dependent Variable
Encoding

Original Value	Internal Value
Tidak	0
Ya	1

Block 0: Beginning Block

Classification Table^{a,b}

Observed			Predicted		
			IKPS		Percentage Correct
			Tidak	Ya	
Step 0	IKPS	Tidak	21	0	100.0
		Ya	15	0	.0
Overall Percentage					58.3

- a. Constant is included in the model.
- b. The cut value is .500

Variables in the Equation

	B	S.E.	Wald	df	Sig.	Exp(B)
Step 0 Constant	-.336	.338	.991	1	.320	.714

Variables not in the Equation

	Score	df	Sig.
--	-------	----	------

Step 0	Variables	x1	3.728	1	.054
		x2	3.742	1	.053
		x3	11.988	1	.001
		x4	4.709	1	.030
	Overall Statistics		17.465	4	.002

Block 1: Method = Enter

Omnibus Tests of Model Coefficients

		Chi-square	df	Sig.
Step 1	Step	30.193	4	.000
	Block	30.193	4	.000
	Model	30.193	4	.000

Model Summary

Step	-2 Log likelihood	Cox & Snell R Square	Nagelkerke R Square
1	18.709 ^a	.568	.764

a. Estimation terminated at iteration number 8 because parameter estimates changed by less than .001.

Hosmer and Lemeshow Test

Step	Chi-square	df	Sig.
1	10.559	7	.159

Classification Table^a

Observed			Predicted		
			IKPS		Percentage Correct
			Tidak	Ya	
Step 1	IKPS	Tidak	19	2	90.5
		Ya	2	13	86.7



a. The cut value is .500

MICE

Variables in the Equation

		B	S.E.	Wald	df	Sig.	Exp(B)
Step 1 ^a	x1	-.201	.345	.341	1	.559	.818
	x2	3.053	3.513	.755	1	.385	21.188
	x3	.594	.254	5.454	1	.020	1.811
	x4	12.618	11.850	1.134	1	.287	301929.717
	Constant	-23.737	20.762	1.307	1	.253	.000

a. Variable(s) entered on step 1: x1, x2, x3, x4.

MCE

MCE

MCE

MCE

MCE

MCE

MCE

MCE

MCE

LAMPIRAN

Logistic Regression

Dependent Variable

Encoding

Original Value	Internal Value
Tidak	0
Ya	1

Block 0: Beginning Block

Classification Table^{a,b}

Observed			Predicted		
			IKPS		Percentage Correct
			Tidak	Ya	
Step 0	IKPS	Tidak	21	0	100.0
		Ya	15	0	.0
Overall Percentage					58.3

a. Constant is included in the model.

b. The cut value is .500

Variables in the Equation

		B	S.E.	Wald	df	Sig.	Exp(B)
Step 0	Constant	-.336	.338	.991	1	.320	.714

Variables not in the Equation

			Score	df	Sig.
Step 0	Variables	x1	3.728	1	.054
		x2	3.742	1	.053
			11.988	1	.001
		x3			
		x4	4.709	1	.030
	Overall Statistics		17.465	4	.002

Block 1: Method = Enter**Omnibus Tests of Model Coefficients**

		Chi-square	df	Sig.
Step 1	Step	30.193	4	.000
	Block	30.193	4	.000
	Model	30.193	4	.000

Model Summary

Step	-2 Log likelihood	Cox & Snell R Square	Nagelkerke R Square
1	18.709 ^a	.568	.764

a. Estimation terminated at iteration number 8 because parameter estimates changed by less than .001.

**Hosmer and Lemeshow Test**

Step	Chi-square	df	Sig.
1	10.559	7	.159

Classification Table^a

Observed		Predicted			
		IKPS		Percentage Correct	
		Tidak	Ya		
Step 1	IKPS	Tidak	19	2	90.5
		Ya	2	13	86.7
		Overall Percentage			88.9

a. The cut value is .500

Variables in the Equation

	B	S.E.	Wald	df	Sig.	Exp(B)
Step 1 ^a x1	-.201	.345	.341	1	.559	.818
x2	3.053	3.513	.755	1	.385	21.188
x3	.594	.254	5.454	1	.020	1.811
x4	12.618	11.850	1.134	1	.287	301929.717
Constant	-23.737	20.762	1.307	1	.253	.000

a. Variable(s) entered on step 1: x1, x2, x3, x4.

